
Intermediate Division Programming Problem**PALINDROME**

PROBLEM: A positive integer is said to be a palindrome with respect to base b , if its representation in base b reads the same from left to right as from right to left. Palindromes are formed as follows:

Given a number, reverse its digits and add the resulting number to the original number. If the result isn't a palindrome, repeat the process. For example, start with 87 base 10.

Applying this process, we obtain:

$$87 + 78 = 165$$

$$165 + 561 = 726$$

$$726 + 627 = 1353$$

$$1353 + 3531 = 4884, \text{ a palindrome}$$

Whether all numbers eventually become a palindrome under this process is unproved, but all base 10 numbers less than 10,000 have been tested. Every one becomes a palindrome in a relatively small number of steps (of the 900 3-digit numbers, 90 are palindromes to start with and 735 of the remainder take fewer than 5 reversals and additions to yield a palindrome). Except, that is, for 196. Although no proof exists that it will not produce a palindrome, this number has been carried through to produce a 2 million-digit number without producing a palindrome.

INPUT: Five sets of data. Each set will consist of a positive integer and its base. Bases will be in the range 2 – 10.

OUTPUT: Print the palindrome produced. If no palindrome is produced after 10 additions, print the word “none” and the last sum.

SAMPLE INPUT

1. 87, 10
2. 1211, 3
3. 3112, 4
4. 196, 10

SAMPLE OUTPUT

1. 4884
2. 112211
3. 233332
4. NONE, 18211171

2001 - 2002

AMERICAN COMPUTER SCIENCE LEAGUE

Contest #3

Intermediate Division Test Data

PALINDROME

TEST DATA

1. 123, 6
2. 43423, 5
3. 110111, 2
4. 566523, 7
5. 43427, 9

TEST OUTPUT

1. 444
2. 23344332
3. 10011001
4. 125404521
5. NONE, 1217685622